

The Ageing Eye: Communication and the Older Patient

References:

Source ref:	Reference
1.	RNIB. Sight loss UK 2012. Available at: http://www.rnib.org.uk/knowledge-and-research-hub/research-reports/general-research/sight-loss-UK-2012 .
2.	Jacob A et al. Charles Bonnet syndrome - elderly people and visual hallucinations. BMJ 2004; 328: 1552-4
3.	Office for Disability Issues. Disability facts and figures. January 2014. Available at: https://www.gov.uk/government/publications/disability-facts-and-figures/disability-facts-and-figures .
4.	Action on Hearing Loss. Facts and figures on hearing loss and tinnitus. July 2011. Available at: http://www.actiononhearingloss.org.uk/your-hearing/about-deafness-and-hearing-loss/statistics.aspx .
5.	Shickle D & Griffin M. Why don't older adults in England go to have their eyes examined? Ophthalmic Physiol Opt 2014; 34: 38-45
6.	Hayden C. The barriers and enablers that affect access to primary and secondary eye care services across England, Wales, Scotland and Northern Ireland. RNIB report, 2012. Available at: http://www.rnib.org.uk/knowledge-and-research-hub/research-reports/prevention-sight-loss/access-eye-care .
7.	Ley, P. (1988) Communicating with patients. London: Croom Helm
8.	Zolnieriek KBH & DiMatteo MR. Physician Communication and Patient Adherence to Treatment: A Meta-analysis. Med Care 2009; 47(8): 826–834
9.	Ong LM, de Haes JC, Hoos AM & Lammes FB. Doctor-patient communication: A review of the literature. Social Science & Medicine 1995; 40: 903-918
10.	Berry D et al. (2007) Health Communication: Theory & Practice. New York: Open University Press