

Advances in Eyecare: Multidisciplinary approaches to eye health

Programme References:

Dark Adaptation

- Cynthia O, *et al.* 2015 Delayed rod-mediated dark adaptation is a functional biomarker for incident early age-related macular degeneration. *Ophthalmology*. 123 (2), 344 – 51.
- Kremers J, *et al.* 2014. Incremental and decremental L- and M-cone driven ERG responses: II. Sawtooth stimulation. *Journal of the Optical Society of America A: Optics and Image Science, and Vision*. 31 (4), 170 – 8. DOI:10.1364/JOSAA.31.00A170
- Murray IJ, *et al.* 2014. A novel technique for measuring dark adaptation using a dual stimulus method: Effects of aging and AMD on dark adaptation. *Acta Ophthalmologica*. 92 (s253), 0.
- Patryas L, *et al.* 2014. The association between dark adaptation and macular pigment optical density in healthy subjects. *Graefe's Archive for Clinical and Experimental Ophthalmology*. 1 – 7.

Depression and Low Vision

- Evans JR, Fletcher AE, Wormald RPL. 2007. Depression and anxiety in visually impaired older people. *Ophthalmology*. 114. 283 – 8
- Kempen IJM, Zijlstra GA. 2014. Clinically relevant symptoms of anxiety and depression in low-vision community-living older adults. *The American Journal of Geriatric Psychiatry*. 22 (3), 309 – 13.
- Margrain TH, *et al.* 2016. High prevalence of untreated depression in patients accessing low-vision services. *American Academy of Ophthalmology*. 123(2), 440 – 1. DOI: <http://dx.doi.org/10.1016/j.opthta.2015.07.009>
- Margrain TH, Nolleet C, Shearn J, *et al.* 2012. The depression in visual impairment trial (DEPVIT): trial design and protocol. *BMC Psychiatry*. 12, 57.
- NICE. 2009. Depression in adults with a chronic physical health problem: treatment and management. National Institute for Health and Clinical Excellence. CG91.

Comorbidities and Low Vision

- Barnett K, *et al.* 2012. Epidemiology of multimorbidity and implications for health care, research, and medical education: a cross-sectional study. *The Lancet*. 380 (9836), 37 – 43. DOI:10.1016/S0140-6736(12)60240-2
- Court H, *et al.* 2014. Visual impairment is associated with physical and mental comorbidities in older adults: a cross-sectional study. *BMC Med*. 12: 181. DOI: 10.1186/s12916-014-0181-7

- Whitson HE, *et al.* 2011. Categorizing the effect of comorbidity: a qualitative study of individuals' experiences in a low-vision rehabilitation program. *Journal of the American Geriatrics Society*. 59 (10), 1802 – 9.

Eccentric Viewing

- Hernandez Trillo A, Dickinson CM. 2012. The impact of visual and nonvisual factors on quality of life and adaptation in adults with visual impairment. *Investigative Ophthalmology and Visual Science*. 53 (7), 4234 – 41. DOI:10.1167/iovs.12-9580
- Nilsson UL, *et al.* 2003. Patients with AMD and a large absolute central scotoma can be trained successfully to use eccentric viewing, as demonstrated in a scanning laser ophthalmoscope. *Vision Research*. 43 (16), 1777 – 87.

Medicines Use Review

- Blenkinsopp A, *et al.* 2008. Medicines Use Review: adoption and spread of a service innovation. *International Journal of Pharmacy Practice*. 16 (4), 271 – 6. DOI: 10.1211/ijpp.16.4.0010
- Latif A, *et al.* 2011. The contribution of the Medicines Use Review (MUR) consultation to counseling practice in community pharmacies. *Patient Education and Counseling*. 83 (3), 336 – 44. DOI:10.1016/j.pec.2011.05.007
- NHS Employers. 2013. Guidance on the Medicines Use Review service. <http://www.nhsemployers.org/~media/Employers/Documents/Primary%20care%20contracts/Pharmacy/MUR%20Guidance.pdf>